

7398 F 27 214 ber pulmonary Consumption. more





fre V Remember the pudis position to consump.

- tion is debility, and that this care on Dis . hits only be removed lifter the Fiscuse is cured by those powerful to and Dusa. to they - ble torie remedies. - los low = fac In

frequently moss suspends its Lymplows only, but makes no impolpion upon the Dis cuse itself, nor upon to prudisposing debi-· hity of the System. The same remark applies to the Digitalis. The reason therefore why is they both so often fail of performing a Cure, usa= is humse, we do not anompany, or fol-- low them by remedies that are calculated to act upon the discuse itself, and its predis , - poring debility. These Should be exercise, labor, long journies & a Change of Climate, and care. - fully avoiding all its most foreiting tower. In the typhus flate of Coms um phon it may be useful barely to make the month sore, but a fabration cannot be borne by the System in this fate of the disease. I have seignife not town touch the mouth in this typhus

V 9 Two medicines have lately been introduce. H = ad into practice in this disease & viz: the By Lichen Islandicus, or Juland enop, and the bort alcomoque. They are muileginous, and 2t worderately litter. Many of my patients m have taken them, but never by my arrive, but no one of them with the least benefit. ore This have not then relieved a distriping dis hymptoin of the Disease. as well night 10. the attempt to Demotish the rock of gibraller Can by Inno quet Shot, as criput to cure a Consumption by such trifling remedies. Ju tra wij = to ma Drg Jen

thate of the discase, it though be laid aside. odu-By continuing to give it, we weaken the re patient , and thus accelerate his dipolution. the It is to be regutted that we seldown discied in and more than and case out of three or forer in 5 our allements to excite a Salivation in this in, efit. discase. - V 7 10 avriding all its publishing, and exciting ht Canoes. I shall dwell particularly expor a ler for of them. I venery should be thirtly forbidden to con. a - Sumptive patients. Puver permit a man to es. travels to be used of this disease to late his wife with, and early interdict the sexual in. = tereviewse whather the discuse appear in the male or female sex. The hings I the fimale Organo Sympathise very much together. a gentleman whom I one attended in a joulno. nay Consumption informed me that he now

fai wil 200 2m the 02 an Than 0/1 he. ful they un Low Cor wh Jen

failed to yout blood after a venereal Connection with his wife. all Consumptive personsful more or lesp pain in the breast after it This Enorbid Symposithy between the lungs, and the genitals extends to the brute Creation. a 200 Hurard of France has lately published an account of the diference of some Cows that died while they were under the influence their opposite tex. Their hings he says were discased in every case. homen but the second appetite as well as snew while they are affected with Consumptioner - and hence we to often observe life preserved in them by continually bearing Children . may so The Continuance of the Catamerica during the whole lousse of this disease in love women. seems to be the offert of the Sympathetic actions of

BA 2 lu De 24 3 14 - /2 for 24 Wis Lon 03

the Utimes & hongs. 2. The Eright and carely morning air the? be carefully avoided by consumptive patients. It can seldown be cared without affiret regard to this direction. 3 litting ween a Clout of in a dresty room Vitting up late at might, and above all, tal: - king to and reading with a loud voice, or for a long time. I ones knew this disease resected by the Conversation of a tedino Visit to a lady who had marly recovered be I heave read an amount of a Cough being completely suspended by white perfect filme you imposed upon a lady by for friedays by her physicians It remains wow to energition the Remidies for alleviating the Distriping Sproptons of this discare. They we highly important, to know I apply them properly, for those

V = tome, and debitilating hymptom. There is a great Variety in its it. It 2 it occurs only in lying down would in aising out of bed. 3 only in the Day and never at hight, and lastly dring both day and eight, and that to such print of a parrayon of Cough to continuing five hours with out the intermission of a single minute. It a


-

2

2

Symptoms and everence the force and Panger of the disease, but they ass to its medisposing beliefty, and thus render it more difficult to cure. The lough is a very trouble = , is to be relieved by all the medicines men-= timed when treating of Catarrale, and by Orium is the minispal of them. It I Bichat Thouts given early in the evening. I Bichat divides life into animal & organic. The former which is external, he suys pre-- Lowerinates in the Day time, - the latter which is internal medorminates in the Wight. It begins he says soon after we drops aslup, & is altended with an energiese of customent in the Viscera, proportioned to the diminution of it upon the Surface of the body. now.

ing



Opium if given after this organice, or tis. But by giving it a four hours before bedtime we prevent it, and by kuping up action in the Skin to me prevent worling artismin the hings. For the dance reason food should not be taken at bestime except in very Imale grantities. Opium thould be taken not only in the evening, but carly In the invening awarding to the april of when the trush is houtherouse desiring the Day. It enects debility at that time when it is greatest termost distribing - It should be taken likewise in small how bles owne. The bay when the cough is how bles owne . The hand the house the less the Chills & might Invents appear to be the effects of the translation of visconal existement

V asserie in hills or Johnton. Justo this miliane of theme completity destroyed the Chills & up med the rights Iwests are further lefoned, or howereted hy

to the Impue of the body, or of D'Buchats organic life paping into animal life, Wi here they occur chiefly in the morning. The Levelington they are most profuse about the much and breast. The Remedie for them are Huping in flowersh was upon a matrap, - friting of the things (mi with distilled spirits, brine with volatile Spirits, brine with powder of Chalk, nitre or common salt and sweet oil powder of Chalk, with dipped in a wearing a thirt cours Lantly, dipped in a wearing a thirt cours landly, dipped in a Devotion of permian or beto oak bank, and afterwards well dried. a downslit of hot ion with water taken put billians -ordix yourful of malaga wine, awarding to De Lydenium taken at bestime - waterme. - long when in Jesson, or water melon tell ten at other seasons both of which prevent the Iwests by promoting a plentiful dio: - charge of Usine, - a pint of live water


in the year 1812

V consultation with Dr playofs from
whom above 20 quarts of water have
been drawn by treupoine pureties in
her less and above her kness in the lower
of Jour buchs. Table 1812 The cough
tall her pulmanary Jympotoms have
been relieved by this resulty.

anowing to dis John Pringle taken During The Day, or half a Iram of the provoker of Calcinio agotis thells taken at bettime, and lastly from two to ten grains of the power of again taken two or three times a day. When the Sweats are animpanied with much artivity of pulse, the lop of a few oreness of blood seldown fails to check Iwelled legs are to treated by frictions up. them. wards, and in a surrying only - by blickers to by punctions on the aboutes with the point of a lancet. I am mos attendes a lady in Diamhoa: When the blood reputs hum In weak as not to be able to propel this watery Contents to the Phin, they pour them upon the bowels, and hence the origin of the Thin & Shing Stoots which much the



closing Itage of this disease. The Sweats & even the Cough now cease from morbid excitiment, and the flinds being Determined wholly to the bowels. The remedies from this Lympstone are Lowaneron - Chalk, grun Kino , and others to be mentioned When we come to treat of Diamhan as a primary discase. quat had or Butters pain & Difficulty of butthing some homes occur in every flate of this disuse. Its rimetries thouts be male always, bhisters to the parts affected, and lignid landamenen. The Consumption usually timesinates in love of the following ways. I With great weakings, profuse fronts & Frankoa, and Proporceal Smellings in the



2 a nystine of a bloodrepel enduity drows -ring the hurys. 3 a rystrue of an Absufs either into the Indestance of the imps, on the Cavity of the Thorax suddenly inducing sufficiation, on an institly of the lungs to expand them. 4 a sudden or gradual effusion of water into the hungs on the Cavity of the thorax. 5 h translation tof the discuse to the brain induing madness. I a processoria bega i or tratha Longesta I shall now mention the Jigns of an im favourable and of a favorinable if we of to to the former Class of Lynds this distance. belong.

I be disease being derived from ancestors 2 It's being the Uput of translated Rhus.
-matism, gout and Scriphula & Stelhese
-tions. Cases it is generally of a very Chronic mature. 3 Freet obstinately Cold. 4 The expectoration of Calculi from the Trugglynptom had taken place. The Congle without a supervising transla. 6 a discharge by expectoration of athin watery Shind with froth, and a small portions of pus swimming upon its Surface. I The cryes becoming lighter, and the teeth Whiter than tratueral. The former occurs in the duay of the Lystern from old gge. I Lice, and the faling of of the hair.



... A love, I adwelling of the face. 10 It is always en ne dangerres when theres and tubercles have taken place in the hongo; 11 a Spitting of blood Incereding Cough, and other than from an absulp. common highes of trabereles, Ween & abset in the hungs. 12 a Constant lynsiting, inter The Jigns of a favourable if me of the I a Spitting of Sood before a Courgh, or other signs of bixed Obstructions in the hongs. 2 Rhumatic pains drewding a Cough, & reliving it. 3 Emptions and Absafres becausing in any part of the body, provided the strength of the . In inference can be formed of the man System be not ashansted.

the mashs of pus as laid down by the Same in alkali to forms or laustic alkali to forms the matter expectorated - they will dispolar it - there will add water If the mucus will flout - If pour, it will fall to the bottom, or form a uniform turbed with the liquid. -

remote lander, and suit your remedies to them as far as they influence the na. - time of the discuse. attend particularly to its Sympathetic Causes. The removal of a dischoe in the Stomach the liver, the Whyther by resident or Design, whithe would has formitimes cure a Consumption after all the Common remedies Virested to the flats of the lungs only have been administred to me purpose.

the your has assured the quelities of for as it is secreted from unbroken Infaces, it affords no proof of the presum of Ulus or an about in the hongo. have been many reveries after the expu: - losation of pres, and many deaths where no pur was discharged. + I shall conclude this to mir auount of this disease by suggesting two resolinetions 2 Meerer lose tight of the Changing Hite of The System, and type of the direct in winy Itage of it. The rise or fall of the merenry in the thermometer, an impropur meal, a. restless vight, and a foren other Circumstances! change the Plate of the Irocave to astoren. der Indicines moper on one day which would

V & have thus Gentlemen laid before you the result of all the reading , experience I reflictions of eny life upon this for - midable Ityatal disease. I ful as if This heen attempting for two days to chile a Root of lignion briter in your procure. - Whether I have enable any imprepion ropose, or only broken my mantel Wedges into peices - I leave wholly to your determination.

have been bruttere the week or Day before. By changing your remedies with the force and Lymptowns of the disease you will now and their lase your Character for Stabie - lite, and Skill in your profession, but com-- Just yourselves with this reflection, that Changes in Opinion and practice have pro-- Due all the physical & moral happiness in One World, and that nothing boom the Changes in midicines have ever done the twentieth part of the enischief that has been done by Stability in ignorunes & erron. I that som man The transition will be natural to pap on from treating upon pulmonery com-- surestion to make a few remarks upon a Cough, and to mention the remedies that are proper to relieve it.



This troublesame affection of the hungo, though a common Symptom of conand offer exists for worths, I years, and lover district induing Consumption or Death. The cough is generally sovorous and schown aucompa. -nid with /rain, much expectabation on any fever. It is never a dage discase, from its washing to induce general Debility & Consumption, Et Thoua therefore be attended to to in its early Itage. It is nothing on Just as general, and for the same discase to be brought on both by general & break laws. a Stroke on the head now I their indues a daying of the brain, and yet we know

tha b la that disease is Often indued his fruing upon the whole System. The Cough is both pulmonary & bachial, and is brought on by causes which art processedy primarily ordi: withy - tecondarily or indirectly, and I y mp athetically - upon the hungs and trachia. Et often comes on suddenly from sating exposure to a liment of hir, from too light bed cloaths, from eating - Drinking & certain papions of the mind & particularly bear. Public Speakers are often troubled with it. The remedies for it should be regulated by the State of the Lystern. In a full habit, with an artice prube, it will among be proper to begin the lune the be ti So: the lop of blood, and to repeat it if the blood be tizy, and the Symptoms of pulses, and vigor continue in the pulse. at the same time an abstenious dit should be resumented and and Demulert Drinks, particularly glassed, bran and mallow tea, and molapes & water pleasantly andulated with live juice, or Vinegar. To these remedies thould be added quette exercise. I have known wotons frequently walking and once a long side come a cough winter. In a natural flate of the pulse, the following remedies have been noeful. I washing the feet every morning in cold wa 2 filenes for four or five home. 3 a potch plaster worn constantly between the Thoulans. 4 the following Lysups . I freet oil, line

V The lignorie misture.

juice or vinegar, and honey, and if maying for melse will bear it Spirits of each equal 2. The Lymps of homeratish water agreeably la D'fulleris ruipe Contained in his quattie 3 Elysop, howhourd, Elicampare, brugwood of each a handful. Boil them in a gallon of water to haif a gallow. Then and a pound of Honer raisons and but the fire them a Lour or two together - Hair then & then add lignories ball Zig white Jugar this and afterwards boil them to a hypupo. In a longer fuble State of the pulse and hungs, the following remedies have found I Tartvater, and the tar pill. From a instrut. half a gill of the former to agill, and from one to three of the latter, to be taken three times a Day.

2 Th 3 th a 4 1 2 Trom 10- to 20 Dropes of the Oil of amber three times a day, a close of garding times a day. 3 a trasposerful of the time true of apapeton.
There times a day. Best there privilines are creellent when the tough comes on biddenly, and with Lynapto review Symptoms 4 The following Syrups: Lulphur, Blecampane, Lignovier bell, and arrived in powder of each 35 ardent Spirits by. Let the Spirits on fire, and at them burn till the spirit is al. = divid to loi - thur add water a point, & higar Hips and wil them to a Lymps of which a table from free thouse be taken three or four times a day, or oftner when the Cough is troublesonne. 2 a traspooreful of the flows of mustard there times a day in a table spoonful of molasses in tenspoonful of the powder of Risin

the 3 24 • (. . . . 0

thus times a day in a table spromful of molapes or honey. 3 a lyngs prepared from garlie or 4 huphur, Lover, and Cold drawing the latter.

two of the former, the

cach equal parts remely of each equal parts, or

5 molepses work and Brands of each equal parts, or a Paroxyom of Coughing is Often obviated by the following rundies. I broade and frequent draughts of cold water. 2 Preping the back against a Cold Wall. 3 a hump of loof myar dipped in Spirits, or a peice of liquorier ball, or a propper mint lovenge suffered to dis ohre upon The root of the tought of the powder of resin. I know to to 15 Dropes of Liquid Louisanum. Sleep is of a great Consequence to persons afflicted with Cough. To produce it Landa. : mom thould be taken when the longh



is troublesome at nights. all its exiting causes should be carefully avoised particularly low feet. I have thus gent plais before you all the result of the reading, ob-- servations of and replactions of my life upon pulphunary tops

